

PATENT ABSTRACTS OF JAPAN

(11)Publication number:

2003-061949

(43) Date of publication of application: 04.03.2003

(51)Int.CI.

6/03A61B 1/00 G06T

G06T 7/00

(21)Application number : 2001-254235

(71)Applicant : GE MEDICAL SYSTEMS GLOBAL

TECHNOLOGY CO LLC

(22) Date of filing:

24.08.2001

(72)Inventor: NOZAKI KYOKO

NISHIDE AKIHIKO

SATO AKIKO


SHINYA MASAE

(54) REGION EXTRACTION METHOD, REGION EXTRACTION DEVICE AND X-RAY CT **APPARATUS**

(57) Abstract:

PROBLEM TO BE SOLVED: To omit the operation for manually specifying a region of subcutaneous fat on an image for obtaining a mean CT value of a patient and a standard deviation.

SOLUTION: A region of a fat CT value range determined from general CT value distribution of fat is cut out of an image (S2), the mean CT value (Mean) of the cutout region and the standard deviation (SD) are computed (S3), an upper limit CT threshold u=Mean+k×SD and a lower limit CT threshold d=Mean-k×SD for extracting a fat region are computed (S4), a peritoneum region is specified by an operator (S5), and a region in a CT value range between the upper CT threshold u and the lower CT threshold d is extracted from the peritoneum region



and displayed (S6). Thus, the labor for the diagnosis operation for visceral adiposis can be saved.



LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]

Copyright (C); 1998,2003 Japan Patent Office